PART# 301252



KENMORE REFRIGERATOR OWNER'S INSTRUCTIONS

MODEL 564.8963600

READ THIS BOOK!

It will tell you how to operate and care for your refrigerator. It also offers tips on how to get the best, as well as lowest cost, performance.


If you prefer installing your own parts, use parts list to find the part number. Do not use the illustration number.

For parts or service information, call your nearest Sears Service Center/Department, give the complete model number listed above.

Record in space provided below the model number and serial number of this appliance. They are located on the model number plate at the upper corner on the cabinet back.

M	0	d	e	#	_

_ Serial # ____



MODEL 564.8963600

Net Capacity 3.6 Cubic Feet*

THINGS YOU OUGHT TO KNOW

WHEN YOUR REFRIGERATOR IS INSTALLED

INSPECT

For shipping damage. If damaged, or parts missing, notify Sears at once.

INSTALLATION

Remove all packing material and tape. Install on strong, level floor or counter. Avoid any of direct sunbeam, heat source and moisuture.

Let air circulate freely around refrigerator. Keep rear of refrigerator 5 inches away from wall and provide at least 12 inches space on top

for proper operation.

CAUTION

Should you turn off the cold control, allow at least three minutes before restarting in order to give the electric device cooling off time.

ELECTRICAL REQUIREMENTS

120 Volts, 60 Hz (60 cycles A.C.) 15 Amps circuit.

ELECTRICAL GROUNDING

Must be grounded. Uses 110-120 Volt 60 Hz (60 cycle) AC. Do not use extension cord. Use three-prong plug with three-prong grounded wall outlet.

Unless the above grounding method is followed, you are not protected against severe or lethal shock, in the event of a short circuit of an electrical component or wiring of refrigerator.

*Capacity manufacturer certified (Association of Home Appliance Manufacturers)

Control temperature: Start by setting control nemole position. Wait 24 hours for refrigerator to cool. The closer to MAX position is colder.
Fresh food section should be as cold as possible without freezing vegetables or milk. Adjust as necessary.
Deforst when freezer compartment builds up if if or for control. Remove the toring to not use heater devices to speed defosting. Do not use heater devices to speed defosting. Do not use heater devices to speed in freezer. Let frost melt. Pan of wait warms temperature setting.
Allow 24 hours for your Refrigerator to cool. The closer to maintain the temperature setting.
Manor will start and stop often. It motor will start and stop often. It must, to maintain the temperature south as control. Remove setting.
DANGER – ELECTRICAL SHOCK HAZARD. Disconnect power before servicing.

ENERGY SAVING TIPS

WAYS TO SAVE POWER, SAVE MONEY, AND STILL ENJOY YOUR KENMORE

- 1. Reduce door openings.
- 2. Close the door as soon as you can.
- 3. Keep coils on back of refrigerator clean.
- 4. Adjust temperature control to warmer setting when practical.
- 5. Don't put hot foods in refrigerator.
- 6. Don't allow more than 1/4'' of frost to build up in freezer compartment.
- 7. Keep your Kenmore away from stove or other heat sources.

PARTS LIST

CAUTION: Use Kenmore part number on all orders, not the illustration number.

Illus. No.	Part No.	Description	Illus. No.	Part No.	Description
1	300834	Door Liner	48	301235	Door Shelf Trim, Lower (2)
2	301242	Door Gasket	49	300837	•
3	301245	Nameplate	50	300838	Bushing (2), Right
4	301249	Tapping Screw	51	300480	
5	301241	Door	52	300479	
6	301247	Door Trim, Upper	53	300426	Clip, Tube
7	301246	Door Trim, Middle	54	300183	
8	301248	Door Trim, Bottom	55	300413	Bolt
9	301243	Trim Hinge (4)	56	300430	Grommet (4)
10	301250	Tapping Screw	57	300714	Compressor
11	301244	Handle (2)	58	300152	Ice Cube Tray (2)
12	300459	Bolt	59	301231	Drip Tray
13	300460	Hinge, Top	60	300483	•
14	301238	Support Plate	61	301233	Trim, Shelf (2)
15	300461	Grommet, Evaporator Door (2)	62	300435	Glass Shelf
16	301237	Evaporator Door	63	301232	Trim, Glass Shelf
17	300204	Thermostat	64	301234	
18	300165	Bracket, Thermostat			
19	300463	Machine Screw	Parts N	lot Illustrat	red
20	300464	Control Box			
21	300465	Tapping Screw			Owner's Instruction Manual and
22	300141	Control Knob			Parts List
23	300466	Retainer Screw			Technical Sheet
24	300318	Tapping Screw			Use & Care Label
25	300830	Hinge, Bottom			Energyguide Label
26	300828	Foot, Right		300195	Grounding Tag
27	300829	Bolt, Bottom Hinge			
28	300373	Foot			
29	300158	Power Supply Cord			<u>58</u> 59
30	301157	Shim, Power Supply Cord			
31	301158	Clamp, Power Supply Cord			
32	300308	Tapping Screw			
33	300167	Splice Box	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	H C	
34	300469	Machine Screw			60
35	301240	Top Table			
36	301239	Support Plate, Rear			
37	300471	Bolt	62	\sim	
38	300189	Compressor Base			
39 40	300711	Retainer, Relay Cover	\int		
40	300712	Relay Cover			el el
41	300713	PTC Thermistor	V		63
42 42	300047	Clamper, Lead Wire		*	\sim
43	300720	Condenser		/	
44 45	300502	Bracket (3)			
45 46	300474	Evaporator		K /	
46	300249	Tube Cover			
47	301236	Door Shelf Trim, Upper			64

Repair Parts

